

■ GEBERIT

GEBERIT DUOFIX

NEED A FRAME FOR EVERY APPLICATION?

THERE'S A GEBERIT FOR IT



**KNOW
HOW**
INSTALLED

GEBERIT DUOFIX

WE'VE GOT IT COVERED

The smart way to install sleek modern looking wall-hung toilets is with Geberit Duofix frame systems. Neatly concealed behind the wall, they're the perfect solution for every style, shape and space - from standard installations to under a window or sloping ceiling.

Strong, secure and flexible, our frame systems sit within pre or dry wall installations bolted to the floor, supporting the sanitaryware and keeping it firmly in place. With Geberit Duofix, it's easy to create a great contemporary look in any bathroom or cloakroom.



- Frames available in a wide range of heights, depths and functionalities
- Easily installed with only four fixing points
- Adjustable drainage bend positioning
- Pre-wall fixing brackets and 90° drainage bend included
- Tested to withstand 400kg of weight
- 25 years spare parts availability guaranteed



All around the world, in all sorts of applications, Geberit Duofix concealed cisterns and frame systems provide the perfect solution thanks to the following features and benefits.

- Dual flush with volume adjustment options to help save water
- Leakproof due to one piece blow moulded cistern
- Front actuation only
- Tool-free cistern maintenance
- With conduit pipe for connection to Geberit AquaClean
- Compatible with all Geberit flush buttons
- Guaranteed availability of function maintaining spare parts for 25 years
- Largest range of flush plate designs
- Compatible with touchless flush plates

STANDARD



Standard Height
 Geberit Duofix frame for WC with Sigma concealed cistern, H112
 → Cistern can be reversed to give access from behind in a duct situation when used with remote flushplate
 → 111.383.00.5



Low Height
 Geberit Duofix frame for WC with Sigma concealed cistern, H98
 → Cistern can be reversed to give access from behind in a duct situation when used with remote flushplate
 → 111.911.00.5

SPECIALIST



Geberit Duofix frame for WC with Sigma concealed cistern, H112, contractor frame
 → Ideal for stud wall installation
 → Without brackets or drainage connections to allow for drainage run or back to back toilets
 → Cistern can be reversed to give access from behind in a duct situation when used with remote flushplate
 → 111.384.00.5



Geberit Duofix frame for WC with Sigma concealed cistern, H114, slimline 8cm depth
 → 8cm depth can be achieved when drainage runs straight down or straight back
 → 111.799.00.1



Geberit Duofix frame for WC with Sigma concealed cistern, H112, less abled
 → Suitable for long projection WC's 700mm
 → Comfort height for WC can be adjusted during installation (41-46cm)
 → 111.352.00.5

GEBERIT SIGMA FLUSH PLATES

STANDARD



Sigma01



Sigma10



Sigma20



Sigma21



Sigma30



Sigma50

SPECIALIST



Sigma60
 → Surface even flush plate



Sigma70
 → Easy actuation with minimal force required
 → Pneumatic hydrolifter servo technology
 → Floating borderless design



Sigma80
 → Touchless flush actuation
 → Five colour options for light actuation fields

Note: Flush plates available in a choice of colours and finishes.

GEBERIT DUOFIX KAPPA RANGE

- Dual flush with volume adjustment options to help save water
- Leakproof due to one piece blow moulded cistern
- Front and top access
- With conduit pipe for connection to Geberit AquaClean
- Compatible with all Geberit flush buttons
- Guaranteed availability of function maintaining spare parts for 25 years
- Low height for installation under a window sill or to create a shelf



Geberit Duofix frame for WC with Kappa concealed cistern, H82

→ Best suited for installations under windows and sloping roofs.

→ 111.260.00.1


GEBERIT KAPPA FLUSH PLATES



Kappa20



Kappa21



Kappa50

FLUSH BUTTONS FOR ALL



Type01
flush button



Type01
flush button



Type10
flush button

Note: Flush plates available in a choice of colours and finishes.



GEBERIT DUOFIX DELTA RANGE

- Dual flush with volume adjustment options to help save water
- Leakproof due to one piece blow moulded cistern
- Front actuation only
- With conduit pipe for connection to Geberit AquaClean
- Compatible with all Geberit flush buttons
- Guaranteed availability of function maintaining spare parts for 25 years
- Wall fixing brackets included (not suitable for system rail)

STANDARD FRAME



Geberit Duofix frame for WC with Delta concealed cistern, H112
→ 458.132.00.1

FRAME AND FLUSHPLATE SETS



Geberit Duofix frame for WC with Delta concealed cistern, H112
→ Includes Delta21 dual flush plate in gloss chrome
→ 458.118.21.1



Geberit Duofix frame for WC with Delta concealed cistern, H112
→ Includes Delta50 dual flush plate in gloss chrome
→ 458.119.21.1

GEBERIT DELTA FLUSH PLATES



Delta15



Delta20



Delta21



Delta50



Delta51

GEBERIT FURNITURE RANGE

- Dual flush with volume adjustment options to help save water
- Front and top access
- Compatible with all Geberit flush buttons
- Guaranteed availability of function maintaining spare parts for 25 years
- Flush pipe connected to cistern with compression fitting
- Designed specifically for installation in furniture only

FURNITURE FRAMES



Geberit Duofix frame for WC with furniture cistern, H79
→ 111.207.00.1



Geberit Duofix frame for WC with furniture cistern, H79
→ Complete with Type01 flush button in gloss chrome
→ 111.206.21.1

FLUSH BUTTONS FOR ALL



Type01 flush button



Type01 flush button



Type10 flush button

Geberit Duofix frames are also available for washbasins, bidets and urinals. To see the full range, order your copy of the Geberit Washroom and Bathroom Product Guide by calling **0800 007 5133** or visit geberit.co.uk/catalogue

GEBERIT CONCEALED CISTERNS

Geberit concealed cisterns are the classics of modern bathroom installations and have been installed a millions of times around the world for more than 50 years.

They are known for their reliability, as every cistern is leak-tested before it is delivered. The 25-year guaranteed spare parts availability provides long-term security.

- Geberit products are tested together to comply with EN997 & EN14055
- No additional flush testing required
- Combined warranty under one manufacturer
- Inlet valve fitting can be easily identified
- 25 year warranty on spare parts



GEBERIT CONCEALED CISTERNS

OMEGA
109.041.00.1



SIGMA
109.392.00.5



KAPPA
109.205.00.1



DELTA
109.105.00.1



FURNITURE
109.721.00.2



FRAME ACCESSORIES



Geberit system rail set
→ 111.878.00.1
→ For construction of a part or full height Geberit Duofix system wall in front of a solid wall or drywall, Duofix frames fix into the rail tool free



Geberit Duofix metal stud
→ 111.871.00.1 height 220-280cm
→ 111.872.00.1 height 260-320cm
→ 111.873.00.1 height 300-360cm
→ 111.874.00.1 height 340-400cm
→ For use with system rail to construct a part or full height stud wall



Geberit Duofix stud brackets
→ 111.869.00.1
→ For fastening Duofix frames between two studs at an interval of 50-57.5 cm



Geberit set of wall anchor extension rods
→ 111.887.00.1
→ For extending the Geberit Duofix wall anchors by 200-400mm



Geberit rear wall foot brackets
→ 111.867.00.1
→ For alternative foot fastening of the Geberit Duofix frames to the rear wall when using under floor heating or water proofing meaning you cannot drill down into the floor



Geberit shallow pan support brackets
→ 111.847.00.1
→ For shallow pans with contact surface less than 170mm



Geberit s-bend
→ 388.350.29.1
→ For floor drainage where a close-coupled pan has been removed



Geberit connection set, eccentric
→ 405.116.00.1
→ For a raised height WC pan
→ For compensating measuring discrepancies of up to 25mm



Geberit Duofix corner brackets
→ 111.835.00.1
→ Infinitely variable adjustment for Duofix frames in corner installations

INSTALLATION STEPS

GEBERIT DUOFIX



STEP 1:
MOUNT DUOFIX WC FRAME TO THE WALL
There are four fixing points - two to the wall and two into the floor.



STEP 2:
LEVEL AND SECURE
Once fixed, ensure that the frame is level. Check that all elements in the cistern are securely in position.



STEP 3:
CONNECT
Connect the isolation valve to the water supply and connect the drainage.



STEP 4:
PROTECTION
Once the frame is in position and the supply and drainage are connected, ensure that you protect the flush pipe, drainage connection and metal rods with the covers provided. This will stop debris building up during the plastering and tiling phase.



STEP 5:
PLASTER AND TILE YOUR INSTALLATION
You are now ready to plaster and tile your installation. When you've completed that, you can cut down the protection housing flush with your tiles and remove the protection covers ready to fix the WC.



STEP 6:
FIX WC AND FLUSH PLATE
Using the WC fixings provided by Geberit or your WC ceramic manufacturer push the WC onto the metal rods and fasten the pan. Turn on the isolation valve and fit the flush plate for that finishing touch.

DUOFIX TOILET FRAME – KNOW-HOW TIPS

1. Every blow moulded cistern is factory-made leak tested, therefore there are no unnecessary sealings or leakage of the cistern for maximum operational reliability
2. Fast, tool free, protection housing for Sigma cisterns is snapped onto the base frame for optimum sealing against building dust and cement water for greater functional reliability
3. The twist locked angle stop valve with hand wheel means that the sealing shaft can be replaced without damaging the water supply line
4. The Duofix WC frame can support up to 400kg (63 stone) – testing is actually in excess of this weight
5. The flush volume can be reduced manually on the flush valve from the factory set 6L and 3L to 4.5L and 3L
6. The Sigma cisterns are completely tool free allowing for easy and fast maintenance to the cistern internals
7. With every Geberit concealed cistern, you will find the product number located on the back wall inside the cistern
8. Geberit system rail can be used to attach the Duofix frames quickly and easily to a solid wall. Perfect for a run of cubicles or similar
9. All Geberit Duofix frames have self-impeding feet making changing the height of the frame a one-man job
10. The drainage bend features tool-free, sound-absorbing fastening, adjustable in depth with 8 positions and an adjustable range of 45mm



Geberit Duofix is tested for strength and durability. Six metal plates weighing in excess of 400kg (63 stone) are loaded on to a support acting as the toilet.

GEBERIT VALUES. OUR COMMITMENT TO YOU.



KNOW-HOW

We bring almost 150 years of Know-How to every new bathroom, with every feature carefully crafted and designed to optimise buyer appeal.



INNOVATION

With unrivalled behind the wall technology and inspirational new ceramics, we offer the complete bathroom solution - the perfect balance of elegant design and outstanding function.



PARTNERSHIP

We work closely with you to add value to every development, with industry-leading logistical support, training, product availability and delivery.



RELIABILITY

Our total focus on performance means our products combine safety and durability with ease of installation.



QUALITY OF LIFE

From Rimfree® technology and stylish flush plates to exceptional water economy, we make life easier, more comfortable and more liveable.


IF YOU'VE GOT A JOB TO DO, THEN WHY NOT GET THE JOB LOT?

SAVE TIME AND BUY YOUR GEBERIT BATHROOM PRODUCT TOGETHER

Geberit have over 150 years experience in bathroom design and product innovation. Whether it's inspirational ceramics, innovative flush plates or our behind the wall technology, we've designed bathroom products ensuring they work seamlessly together. So if you've got a job to do then why not get the job lot from us, it'll save you time and hassle and will give you the complete bathroom solution from one trusted supplier.



Wall-hung toilets



Duofresh



Duofix frames



Cisterns



Flush plates



Back-to-wall toilets



Flush plate

Cistern

Duofix frame

Wall-hung toilet



DEDICATED SUPPORT AND TRAINING

From planning to logistics to stock availability and aftersales, we're exceeding expectations to offer you a wide range of products to suit your hotel project. At Geberit, we have dedicated team in place to support you from start to finish.

CLEANING AND MAINTENANCE

We're on hand to train your housekeeping and maintenance teams to ensure they know how to correctly maintain and clean our products for optimal performance. Speak to your dedicated Specification Sales Manager for more information.

→ Get in touch by visiting geberit.co.uk/contactus

INSTALLATION

Geberit provide a free, comprehensive CIPHE accredited installation and product training for your installers and contractors – offering a choice of visiting the Warwick Training Academy or delivery of the training on site, the program offers flexibility to suit your needs.

→ For more information visit geberit.co.uk/training



GET THE KNOW-HOW



Geberit Duofix systems are simple to install and Geberit make it even easier by offering free training at their head office academy in Warwick. You will gain all the Know-How you need to feel confident in installing Geberit products.

To book yourself onto one of our training days visit geberit.co.uk/installertraining or call **01926 516800**.

INSTANT SUPPORT WITH OUR GEBERIT PRO

Download the Geberit Pro for all the information you need at your fingertips, anytime, anywhere.

Geberit Pro provides you with full access to product specifications, installation instructions and videos. It'll also identify any Geberit product by simply scanning its barcode – and it even lists all relevant spare parts.

For know-how at your fingertips, download the Geberit Pro FREE today.



Geberit Pro for iPhone and iPad



Geberit Pro for Android



Geberit has a dedicated technical support team on hand to advise and assist. Call **01926 516800** or email technical@geberit.co.uk

Geberit Sales Ltd
Geberit House
Edgehill Drive
Warwick
Warwickshire
CV34 6NH

T 01926 516800
E enquiries@geberit.co.uk

Literature hotline:
0800 007 5133

www.geberit.co.uk